

14 – DEPÓSITOS DE SULFETOS METÁLICOS NO FUNDO OCEÂNICO

DEPOSITS OF METALLIC SULPHIDES ON THE OCEAN BOTTOM

Sidney L. M. Mello

Thaise M. Senez-Mello

Laboratório de Geologia Marinha

Universidade Federal Fluminense - UFF

Resumo

Este capítulo trata dos depósitos hidrotermais de sulfetos metálicos no fundo dos oceanos a partir de uma revisão da literatura. O foco desta revisão está no processo de formação dos depósitos em diferentes ambientes geológicos, métodos de investigação e importância das jazidas minerais. A revisão cobre ainda aspectos sobre a biodiversidade em torno dos sítios hidrotermais e os prováveis impactos ambientais na prospecção mineral empregando novas técnicas de extração mineral em oceano profundo.

Palavras-chave: depósitos hidrotermais, sulfetos metálicos, fundo oceânico.

Abstract

This chapter deals with the hydrothermal deposits of metallic sulfides on the ocean floor from a literature review. This review focuses on the formation process of deposits in different geological environments, investigation methods, and the importance of mineral deposits. The review also covers aspects of biodiversity around hydrothermal sites and the likely environmental impacts on mineral prospecting using new deep ocean mineral extraction techniques.

Keywords: hydrothermal deposits, metallic sulfides, ocean bottom.

» Nota dos Organizadores: o manuscrito deste capítulo foi produzido em abril de 2022.

Referências Bibliográficas

- ALT, J. C. 1995. Subseafloor processes in mid-ocean ridge hydrothermal systems. In: HUMPHRIS, S.E.; ZIERENBERG, R.A.; MULLINEAUX, L.S.; THOMSON, R.E. Seafloor hydrothermal systems. Physical, Chemical, Biological, and Geological Interactions, 91: 85–114. DOI: [10.1029/GM091p0085](https://doi.org/10.1029/GM091p0085).
- ARQUIT, A. M. 1990. Geological and hydrothermal controls on the distribution of megafauna in Ashes vent field, Juan de Fuca Ridge. Journal of Geophysical Research, 95, no. B8. DOI: [10.1029/jb095ib08p12947](https://doi.org/10.1029/jb095ib08p12947).
- BAKER, E. T. 2017. Exploring the ocean for hydrothermal venting: New techniques, new discoveries, new insights. Ore Geology Reviews, 86, 55–69. DOI: [10.1016/j.oregeorev.2017.02.006](https://doi.org/10.1016/j.oregeorev.2017.02.006).
- BAKER, E. T.; EMBLEY, R. W.; WALKER, S. L.; RESING, J. A.; LUPTON, J. E.; NAKAMURA, K.; DE RONDE, C. E. J.; MASSOTH, G. J. 2008. Hydrothermal activity and volcano distribution along the Mariana arc. Journal of Geophysical Research: Solid Earth, 113(B8): 1–16. DOI: [10.1029/2007JB005423](https://doi.org/10.1029/2007JB005423).
- BAKER, E. T.; GERMAN, C. R. 2013. On the Global Distribution of Hydrothermal Vent Fields. Mid-Ocean Ridges. Geophysical Monograph Series. p. 245–266. DOI: [10.1029/148GM10](https://doi.org/10.1029/148GM10).
- BAKER, E. T.; GERMAN, C. R.; ELDERFIELD, H. 1995. Hydrothermal Plumes Over Spreading-Center Axes: Global Distributions and Geological Inferences. Geophysical Monograph Series. [S. l.: s. n.], 91: 47–71. DOI: [10.1029/GM091p0047](https://doi.org/10.1029/GM091p0047).
- BEAULIEU, S. E.; BAKER, E. T.; GERMAN, C. R. 2015. Where are the undiscovered hydrothermal vents on oceanic spreading ridges? Deep Sea Research Part II: Topical Studies in Oceanography, 121: 202–212. DOI: [10.1016/j.dsr2.2015.05.001](https://doi.org/10.1016/j.dsr2.2015.05.001).
- BEAULIEU, S. E.; BAKER, E. T.; GERMAN, C. R.; MAFFEI, A. 2013. An authoritative global database for active submarine hydrothermal vent fields. Geochemistry, Geophysics, Geosystems, 14(11): 4892–4905. DOI: [10.1002/2013GC004998](https://doi.org/10.1002/2013GC004998).
- BERTRAM, C.; KRÄTSCHELL, A.; O'BRIEN, K.; BRÜCKMANN, W.; PROELSS, A.; REHDANZ, K. 2011. Metalliferous sediments in the Atlantis II Deep—Assessing the geological and economic resource potential and legal constraints. Resources Policy, 36(4): 315–329. DOI: [10.1016/j.resourpol.2011.09.001](https://doi.org/10.1016/j.resourpol.2011.09.001).
- BOSCHEN, R. E.; ROWDEN, A. A.; CLARK, M. R.; GARDNER, J. P. A. 2013. Mining of deep-sea seafloor massive sulfides: A review of the deposits, their benthic communities, impacts from mining, regulatory frameworks and management strategies. Ocean and Coastal Management, 84: 54–67. DOI: [10.1016/j.ocecoaman.2013.07.005](https://doi.org/10.1016/j.ocecoaman.2013.07.005).
- BRÄGER, S.; ROMERO RODRIGUEZ, G. Q.; MULSOW, S. 2020. The current status of environmental requirements for deep seabed mining issued by the International Seabed Authority. Marine Policy, 114: 103258. DOI: [10.1016/j.marpol.2018.09.003](https://doi.org/10.1016/j.marpol.2018.09.003).
- CANN, J. R.; STRENS, M. R. 1982. Black smokers fuelled by freezing magma. Nature, 298(5870): 147–149. DOI: [10.1038/298147a0](https://doi.org/10.1038/298147a0).
- CAVANAUGH, C. M.; GARDINER, S. L.; JONES, M. L.; JANNASCH, H. W.; WATERBURY, J. B. 1981. Prokaryotic cells in the hydrothermal vent tube worm *Riftia pachyptila* Jones: Possible chemoautotrophic symbionts. Science, 213(4505): 340–342. DOI: [10.1126/science.213.4505.340](https://doi.org/10.1126/science.213.4505.340).

DEPÓSITOS DE SULFETOS METÁLICOS NO FUNDO OCEÂNICO

CHERKASHEV, G. A.; IVANOV, V. N.; BEL'TENEV, V. I.; LAZAREVA, L. I.; ROZHDESTVENSKAYA, I. I.; SAMOVAROV, M. L.; POROSHINA, I. M.; SERGEEV, M. B.; STEPANOVA, T. V.; DOBRETSOVA, I. G.; KUZNETSOV, V. Y. 2013. Massive sulfide ores of the northern equatorial Mid-Atlantic Ridge. *Oceanology*, 53(5): 607–619. DOI: [10.1134/S0001437013050032](https://doi.org/10.1134/S0001437013050032).

CLARK, M. R.; ROWDEN, A. A.; SCHLACHER, T.; WILLIAMS, A.; CONSALVEY, M.; STOCKS, K. I.; ROGERS, A. D.; O'HARA, T. D.; WHITE, M.; SHANK, T. M.; HALL-SPENCER, J. M. 2010. The ecology of seamounts: Structure, function, and human impacts. *Annual Review of Marine Science*, 2(1): 253–278. DOI: [10.1146/annurev-marine-120308-081109](https://doi.org/10.1146/annurev-marine-120308-081109).

COLLINS, P. C.; KENNEDY, R.; VAN DOVER, C. L. 2012. A biological survey method applied to seafloor massive sulphides (SMS) with contagiously distributed hydrothermal-vent fauna. *Marine Ecology Progress Series*, 452: 89–107. DOI: [10.3354/meps09646](https://doi.org/10.3354/meps09646).

CONNELLY, D. P.; COPLEY, J. T.; MURTON, B. J.; STANSFIELD, K.; TYLER, P. A.; GERMAN, C. R.; VAN DOVER, C. L.; AMON, D.; FURLONG, M.; GRINDLAY, N.; HAYMAN, N.; HÜHNERBACH, V.; JUDGE, M.; LE BAS, T.; MCPHAIL, S.; MEIER, A.; NAKAMURA, K. I.; NYE, V.; PEBODY, M.; ... WILCOX, S. 2012. Hydrothermal vent fields and chemosynthetic biota on the world's deepest seafloor spreading centre. *Nature Communications*, 3. DOI: [10.1038/ncomms1636](https://doi.org/10.1038/ncomms1636).

COOK, N. J.; CIOBANU, C. L. 2015. Mineral Hosts for Critical Metals in Hydrothermal Ores. In: 13th SGA Biennial Meeting. Mineral Resources in a Sustainable World. 2, Nancy, França. p. 707–710.

CORLISS, J. B.; BAROSS, J. A.; HOFFMAN, S. E. 1981. An hypothesis concerning the relationship between submarine hot springs and the origin of life on Earth. *Oceanol. Acta*, 1980: 59–69.

DE RONDE, C. E. J.; BAKER, E. T.; MASSOTH, G. J.; LUPTON, J. E.; WRIGHT, I. C.; FEELY, R. A.; GREENE, R. R. 2001. Intra-oceanic subduction-related hydrothermal venting, Kermadec volcanic arc, New Zealand. *Earth and Planetary Science Letters*, 193(3–4): 359–369. DOI: [10.1016/S0012-821X\(01\)00534-9](https://doi.org/10.1016/S0012-821X(01)00534-9).

DE RONDE, C. E. J.; MASSOTH, G. J.; BUTTERFIELD, D. A.; CHRISTENSON, B. W.; ISHIBASHI, J.; DITCHBURN, R. G.; HANNINGTON, M. D.; BRATHWAITE, R. L.; LUPTON, J. E.; KAMENETSKY, V. S.; GRAHAM, I. J.; ZELLMER, G. F.; DZIAK, R. P.; EMBLEY, R. W.; DEKOV, V. M.; MUNNIK, F.; LAHR, J.; EVANS, L. J.; TAKAI, K. 2011. Submarine hydrothermal activity and gold-rich mineralization at Brothers Volcano, Kermadec Arc, Nova Zelândia. *Mineralium Deposita*, 46(5–6): 541–584. DOI: [10.1007/s00126-011-0345-8](https://doi.org/10.1007/s00126-011-0345-8).

DE RONDE, C. E. J.; STUCKER, V. K. 2015. Seafloor Hydrothermal Venting at Volcanic Arcs and Backarcs. *The Encyclopedia of Volcanoes*. 2a ed., Elsevier, p. 823–849. DOI: [10.1016/b978-0-12-385938-9.00047-x](https://doi.org/10.1016/b978-0-12-385938-9.00047-x).

DESBRUYÈRES, D.; HASHIMOTO, J.; FABRI, M. C. 2006. Composition and biogeography of hydrothermal vent communities in western pacific back-arc basins. *Geophysical Monograph Series*, 166: 215–234. DOI: [10.1029/166GM11](https://doi.org/10.1029/166GM11).

DEVEY, C. W.; FISHER, C. R.; SCOTT, S. 2007. Responsible Science at Hydrothermal Vents. *Oceanography*, 20(1): 162–171. Disponível em: <http://www.jstor.org/stable/24859985>.

EMBLEY, R. W.; BAKER, E. T.; BUTTERFIELD, D. A.; CHADWICK JR, W. W.; LUPTON, J. E.; RESING, J. A.; DE RONDE, C. E. J.; NAKAMURA, K.-I.; TUNNICLIFFE,

- V.; DOWER, J. F.; MERLE, S. G. 2007. Exploring the Submarine Ring of Fire: Mariana Arc - Western Pacific. *Oceanography*, 20(4): 68–79. DOI: [10.5670/oceanog.2007.07](https://doi.org/10.5670/oceanog.2007.07).
- ERICKSON, K.; MACKO, S.; VAN DOVER, C. 2009. Evidence for a chemoautotrophically based food web at inactive hydrothermal vents (Manus Basin). *Deep-sea Research. Part II, Topical Studies in Oceanography*, 56, 19: 1577–1585. DOI: [10.1016/j.dsr2.2009.05.002](https://doi.org/10.1016/j.dsr2.2009.05.002).
- EUROPEAN COMMISSION. 2017. Report on the Blue Growth Strategy towards more Sustainable Growth and Jobs in the Blue Economy. Commission Staff Working Document. Bruxelas, Bélgica.
- FISHER, C.; TAKAI, K.; LE BRIS, N. 2007. Hydrothermal Vent Ecosystems. *Oceanography*, 20(1): 14–23. DOI: [10.5670/oceanog.2007.75](https://doi.org/10.5670/oceanog.2007.75).
- FONTBOTÉ, L.; KOUZMANOV, K.; CHIARADIA, M.; POKROVSKI, G. S. 2017. Sulfide minerals in hydrothermal deposits. *Elements*, 13, 2, 97–103. DOI: [10.2113/gselements.13.2.97](https://doi.org/10.2113/gselements.13.2.97).
- FRANCHETEAU, J.; NEEDHAM, H. D.; CHOUKROUNE, P.; JUTEAU, T.; SÉGURET, M.; BALLARD, R. D.; FOX, P. J.; NORMARK, W.; CARRANZA, A.; CORDOBA, D.; GUERRERO, J.; RANGIN, C.; BOUGAULT, H.; CAMBON, P.; HEKINIAN, R. 1979. Massive deep-sea sulphide ore deposits discovered on the East Pacific Rise. *Nature*, 277(5697): 523–528. DOI: [10.1038/277523a0](https://doi.org/10.1038/277523a0).
- FRANCHINI, M.; MCFARLANE, C.; MAYDAGÁN, L.; REICH, M.; LENTZ, D. R.; MEINERT, L.; BOUHIER, V. 2015. Trace metals in pyrite and marcasite from the Agua Rica porphyry-high sulfidation epithermal deposit, Catamarca, Argentina: Textural features and metal zoning at the porphyry to epithermal transition. *Ore Geology Reviews*, 66: 366–387. DOI: [10.1016/j.oregeorev.2014.10.022](https://doi.org/10.1016/j.oregeorev.2014.10.022).
- FUYUNO, I. 2007. Undersea vent blows blue. *Nature*, 70129. DOI: [10.1038/news070129-1](https://doi.org/10.1038/news070129-1).
- GEORGE, L. L.; COOK, N. J.; CIOBANU, C. L. 2016. Partitioning of trace elements in co-crystallized sphalerite-galena-chalcopyrite hydrothermal ores. *Ore Geology Reviews*, 77: 97–116. DOI: [10.1016/j.oregeorev.2016.02.009](https://doi.org/10.1016/j.oregeorev.2016.02.009).
- GOLLNER, S.; KAISER, S.; MENZEL, L.; JONES, D. O. B.; BROWN, A.; MESTRE, N. C.; VAN OEVELEN, D.; MENOT, L.; COLAÇO, A.; CANALS, M.; CUVELIER, D.; DURDEN, J. M.; GEBRUK, A.; EGHO, G. A.; HAECKEL, M.; MARCON, Y.; MEVENKAMP, L.; MORATO, T.; PHAM, C. K.; ... MARTINEZ ARBIZU, P. 2017. Resilience of benthic deep-sea fauna to mining activities. *Marine Environmental Research*, 129: 76–101. DOI: [10.1016/j.marenvres.2017.04.010](https://doi.org/10.1016/j.marenvres.2017.04.010).
- GRASSLE, J. F.; MACIOLEK, N. J. 1992. Deep-Sea Species Richness: Regional and Local Diversity Estimates from Quantitative Bottom Samples. *The American Naturalist*, 139(2): 313–341. DOI: [10.1086/285329](https://doi.org/10.1086/285329).
- GIERE, O. 2009. Meiobenthology. The Microscopic Motile Fauna of Aquatic Sediments. 2a ed., University of Hamburg. Springer-Verlag, Berlim, Heidelberg,
- HANNINGTON, M. D. 2014. Volcanogenic Massive Sulfide Deposits. Treatise on Geochemistry. 2a ed., Elsevier, 13: 463–488. DOI: [10.1016/B978-0-08-095975-7.01120-7](https://doi.org/10.1016/B978-0-08-095975-7.01120-7).
- HANNINGTON, M.D.; PETERSEN, S.; JONASSON, I.R.; FRANKLIN, J.M. 1994. Hydrothermal Activity and Associated Mineral Deposits of the Seafloor. Ottawa, Ont: Geological Survey of Canada, GSC Open File, 2915c. Map 1:35,000,000. Natural Resources Canada/CMSS/Information Management. DOI: [10.4095/82631](https://doi.org/10.4095/82631).

DEPÓSITOS DE SULFETOS METÁLICOS NO FUNDO OCEÂNICO

HANNINGTON, M. D.; DE RONDE, C. E. J.; PETERSEN, S. 2005. Sea-Floor Tectonics and Submarine Hydrothermal Systems. One Hundredth Anniversary Volume. Society of Economic Geologists, p. 111–141. DOI: [10.5382/AV100.06](https://doi.org/10.5382/AV100.06).

HANNINGTON, Mark; JAMIESON, J.; MONECKE, T.; PETERSEN, S. Modern Sea-Floor Massive Sulfides and Base Metal Resources: Toward an Estimate of Global Sea-Floor Massive Sulfide Potential. The Challenge of Finding New Mineral Resources: Global Metallogeny, Innovative Exploration, and New Discoveries. [S. l.]: Society of Economic Geologists, 2010. DOI: [10.5382/SP.15.2.001](https://doi.org/10.5382/SP.15.2.001).

HANNINGTON, M.; JAMIESON, J.; MONECKE, T.; PETERSEN, S.; BEAULIEU, S. The abundance of seafloor massive sulfide deposits. *Geology*, 39(12): 1155–1158, 1 Dec. 2011. DOI: [10.1130/G32468.1](https://doi.org/10.1130/G32468.1).

HERZIG, P. M.; HANNINGTON, M. D. 1995. Polymetallic massive sulfides at the modern seafloor a review. *Ore Geology Reviews*, 10(2): 95–115. DOI: [10.1016/0169-1368\(95\)00009-7](https://doi.org/10.1016/0169-1368(95)00009-7).

HOAGLAND, P.; BEAULIEU, S.; TIVEY, M. A.; EGGERT, R. G.; GERMAN, C.; GLOWKA, L.; LIN, J. 2010. Deep-sea mining of seafloor massive sulfides. *Marine Policy*, 34(3): 728–732. DOI: [10.1016/j.marpol.2009.12.001](https://doi.org/10.1016/j.marpol.2009.12.001).

HOSHINO, TSUYOSHI. 2015. Innovative Lithium Recovery Technique from Seawater by Using World-First Dialysis with a Lithium Ionic Superconductor. *Desalination*, vol. 359, 59–63. DOI: [10.1016/j.desal.2014.12.018](https://doi.org/10.1016/j.desal.2014.12.018).

HUMPHRIS, S. E.; HERZIG, P. M.; MILLER, D. J.; ALT, J. C.; BECKER, K.; BROWN, D.; BRÜGMANN, G.; CHIBA, H.; FOUQUET, Y.; GEMMELL, J. B.; GUERIN, G.; HANNINGTON, M. D.; HOLM, N. G.; HONOREZ, J. J.; ITURRINO, G. J.; KNOTT, R.; LUDWIG, R.; NAKAMURA, K.; PETERSEN, S.; ... ZHAO, X. 1995. The internal structure of an active sea-floor massive sulphide deposit. *Nature*, 377(6551): 713–716. DOI: [10.1038/377713a0](https://doi.org/10.1038/377713a0).

JAMIESON, J. W.; CLAGUE, D. A.; HANNINGTON, M. D. 2014. Hydrothermal sulfide accumulation along the Endeavour Segment, Juan de Fuca Ridge. *Earth and Planetary Science Letters*, 395: 136–148. DOI: [10.1016/j.epsl.2014.03.035](https://doi.org/10.1016/j.epsl.2014.03.035).

KADKO, D.; MOORE, W. 1988. Radiochemical constraints on the crustal residence time of submarine hydrothermal fluids: Endeavour Ridge. *Geochimica et Cosmochimica Acta*, 52(3): 659–668. DOI: [10.1016/0016-7037\(88\)90328-6](https://doi.org/10.1016/0016-7037(88)90328-6).

KARL, D. M.; WIRSEN, C. O.; JANNASCH, H. W. 1980. Deep-Sea Primary Production at the Galapagos Hydrothermal Vents. *Science*, 207(4437): 1345–1347. DOI: [10.1126/science.207.4437.1345](https://doi.org/10.1126/science.207.4437.1345).

KAWADA, Y.; KASAYA, T. 2018. Self-potential mapping using an autonomous underwater vehicle for the Sunrise deposit, Izu-Ogasawara arc, southern Japan. *Earth, Planets and Space*, 70(1): 142. DOI: [10.1186/s40623-018-0913-6](https://doi.org/10.1186/s40623-018-0913-6).

KINSEY, J. C.; GERMAN, C. R. 2013. Sustained volcanically-hosted venting at ultraslow ridges: Piccard Hydrothermal Field, Mid-Cayman Rise. *Earth and Planetary Science Letters*, 380: 162–168. DOI: [10.1016/j.epsl.2013.08.001](https://doi.org/10.1016/j.epsl.2013.08.001).

LEAL FILHO, W.; ABUBAKAR, I.; NUNES, C.; PLATJE, J.; OZUYAR, P.; WILL, M.; NAGY, G.; AL-AMIN, A.; HUNT, J.; LI, C. 2021. Deep Seabed Mining: A Note on Some Potentials and Risks to the Sustainable Mineral Extraction from the Oceans. *Journal of Marine Science and Engineering*, 9(5): 521. DOI: [10.3390/jmse9050521](https://doi.org/10.3390/jmse9050521).

- LEVIN, L. A.; BACO, A. R.; BOWDEN, D. A.; COLACO, A.; CORDES, E. E.; CUNHA, M. R.; DEMOPOULOS, A. W. J.; GOBIN, J.; GRUPE, B. M.; LE, J.; METAXAS, A.; NETBURN, A. N.; ROUSE, G. W.; THURBER, A. R.; TUNNICLIFFE, V.; VAN DOVER, C. L.; VANREUSEL, A.; WATLING, L. 2016. Hydrothermal vents and methane seeps: Rethinking the sphere of influence. *Frontiers in Marine Science*, 3: 1–23. DOI: [10.3389/fmars.2016.00072](https://doi.org/10.3389/fmars.2016.00072).
- LILLIE, A. C. Seafloor Massive Sulfides Mining. *Natural Resources & Environment*, 34(2): 1–4, 2019.
- LIU, S.; HU, J.; ZHANG, R.; DAI, Y.; YANG, H. Development of mining technology and equipment for seafloor massive sulfide deposits. *Chinese Journal of Mechanical Engineering*, 29(5): 863–870, 2016. DOI: [10.3901/CJME.2016.0815.093](https://doi.org/10.3901/CJME.2016.0815.093).
- LUTZ, R. A.; SHANK, T. M.; FORNARI, D. J.; HAYMON, R. M.; LILLEY, M. D.; VON DAMM, K. L.; DESBRUYERES, D. 1994. Rapid growth at deep-sea vents. *Nature*, 371(6499): 663–664. DOI: [10.1038/371663a0](https://doi.org/10.1038/371663a0).
- McCOLLOM, T. M.; SHOCK, E. L. 1997. Geochemical constraints on chemolithoautotrophic metabolism by microorganisms in seafloor hydrothermal systems. *Geochimica et Cosmochimica Acta*, 61(20): 4375–4391. DOI: [10.1016/S0016-7037\(97\)00241-X](https://doi.org/10.1016/S0016-7037(97)00241-X).
- MELLO, S. L. M. M.; QUENTAL, S. H. A. J. A. J. 2000. Depósitos de sulfetos metálicos no fundo dos oceanos. *Revista Brasileira de Geofísica*, 18(3): 411–430. DOI: [10.1590/S0102-261X2000000300014](https://doi.org/10.1590/S0102-261X2000000300014).
- MELLO, S. L. M.; PALMA, J. J. C. 2000. Geology & Geophysics for the exploration of marine mineral resources. *Revista Brasileira de Geofísica*, 18(3): 239-240. DOI: [10.1590/s0102-261x2000000300003](https://doi.org/10.1590/s0102-261x2000000300003).
- MILLER, K. A.; THOMPSON, K. F.; JOHNSTON, P.; SANTILLO, D. 2018. An Overview of Seabed Mining Including the Current State of Development, Environmental Impacts, and Knowledge Gaps. *Frontiers in Marine Science*, 4. DOI: [10.3389/fmars.2017.00418](https://doi.org/10.3389/fmars.2017.00418).
- MOALIC, Y.; DESBRUYÈRES, D.; DUARTE, C. M.; ROZENFELD, A. F.; BACHRATY, C.; ARNAUD-HAOND, S. 2012. Biogeography revisited with network theory: Retracing the history of hydrothermal vent communities. *Systematic Biology*, 61(1): 127–137. DOI: [10.1093/sysbio/syr088](https://doi.org/10.1093/sysbio/syr088).
- MURTON, B. J.; LEHRMANN, B.; DUTRIEUX, A. M.; MARTINS, S.; DE LA IGLESIA, A. G.; STOBBS, I. J.; BARRIGA, F. J. A. S.; BIALAS, J.; DANNOWSKI, A.; VARDY, M. E.; NORTH, L. J.; YEO, I. A. L. M.; LUSTY, P. A. J.; PETERSEN, S. 2019. Geological fate of seafloor massive sulphides at the TAG hydrothermal field (Mid-Atlantic Ridge). *Ore Geology Reviews*, 107: 903–925. DOI: [10.1016/j.oregeorev.2019.03.005](https://doi.org/10.1016/j.oregeorev.2019.03.005).
- O'LEARY, B. C.; BROWN, R. L.; JOHNSON, D. E.; VON NORDHEIM, H.; ARDRON, J.; PACKEISER, T.; ROBERTS, C. M. 2012. The first network of marine protected areas (MPAs) in the high seas: The process, the challenges and where next. *Marine Policy*, 36(3): 598–605. DOI: [10.1016/j.marpol.2011.11.003](https://doi.org/10.1016/j.marpol.2011.11.003).
- OKAMOTO, N.; SHIOKAWA, S.; KAWANO, S.; SAKURAI, H.; YAMAJI, N.; KURIHARA, M. 2018. Current status of Japan's activities for deep-sea commercial mining campaign. In: 2018 OCEANS - MTS/IEEE Kobe Techno-Oceans, OCEANS - Kobe 2018, p. 1–7. DOI: [10.1109/OCEANSKOBE.2018.8559373](https://doi.org/10.1109/OCEANSKOBE.2018.8559373).
- PETERSEN, S.; LEHRMANN, B.; MURTON, B. J. 2018. Modern seafloor hydrothermal systems: New perspectives on ancient ore-forming processes. *Elements*, 14(5): 307–312. DOI: [10.2138/gselements.14.5.307](https://doi.org/10.2138/gselements.14.5.307).

DEPÓSITOS DE SULFETOS METÁLICOS NO FUNDO OCEÂNICO

POLLACK, H. N.; HURTER, S. J.; JOHNSON, J. R. 1993. Heat flow from the Earth's interior: Analysis of the global data set. *Reviews of Geophysics*, 31(3): 267. DOI: [10.1029/93RG01249](https://doi.org/10.1029/93RG01249).

RESING, J. A.; SEDWICK, P. N.; GERMAN, C. R.; JENKINS, W. J.; MOFFETT, J. W.; SOHST, B. M.; TAGLIABUE, A. 2015. Basin-scale transport of hydrothermal dissolved metals across the South Pacific Ocean. *Nature*, 523(7559): 200–203. DOI: [10.1038/nature14577](https://doi.org/10.1038/nature14577).

ROGERS, A. D.; TYLER, P. A.; CONNELLY, D. P.; COPLEY, J. T.; JAMES, R.; LARTER, R. D.; LINSE, K.; MILLS, R. A.; GARABATO, A. N.; PANCAST, R. D.; PEARCE, D. A.; POLUNIN, N. V. C.; GERMAN, C. R.; SHANK, T.; BOERSCH-SUPAN, P. H.; ALKER, B. J.; AQUILINA, A.; BENNETT, S. A.; CLARKE, A.; ... ZWIRGLMAIER, K. 2012. The discovery of new deep-sea hydrothermal vent communities in the Southern ocean and implications for biogeography. *PLoS Biology*, 10(1): e1001234. DOI: [10.1371/journal.pbio.1001234](https://doi.org/10.1371/journal.pbio.1001234).

RONA, P. A. 1988. Hydrothermal mineralization at oceanic ridges. *The Canadian Mineralogist*, 26(3): 431–465.

RONA, P. A. 1986. Mineral Deposits from Sea-Floor Hot Springs. *Scientific American*, 254(1): 84–92. DOI: [10.1038/scientificamerican0186-84](https://doi.org/10.1038/scientificamerican0186-84).

SENEZ-MELLO, T.M.; MELLO, S. L. M. 2022a. Distribuição dos sítios hidrotermais e depósitos de sulfetos metálicos associados em zonas vulcânicas das cordilheiras mesoceânicas e arcos de ilhas vulcânicas, Niterói, RJ, Brasil. *Figshare Digital Science*, Niterói. DOI: [10.6084/m9.figshare.20060576.v1](https://doi.org/10.6084/m9.figshare.20060576.v1).

SENEZ-MELLO, T.M.; MELLO, S. L. M. 2022b. Os depósitos de sulfetos submarinos se desenvolvem a partir de fontes hidrotermais em quatro ambientes tectônicos magmaticamente ativos. (a) Vulcões mesoceânicos, (b) vulcões intraplaca, (c) vulcões na bacia atrás dos arcos da ilha e (d) vulcões em arco ilhas. *Figshare Digital Science*, Figshare, Niterói, RJ, Brasil. DOI: [10.6084/m9.figshare.20060375.v1](https://doi.org/10.6084/m9.figshare.20060375.v1).

SENEZ-MELLO, T.M.; MELLO, S. L. M. 2022c. Diagrama esquemático mostrando a formação de um depósito moderno de sulfeto metálico em ambiente de cordilheira mesoceânica, Niterói, RJ, Brasil. *Figshare Digital Science*. DOI: [10.6084/m9.figshare.20060216.v1](https://doi.org/10.6084/m9.figshare.20060216.v1).

SINGER, D. A. 1995. World class base and precious metal deposits; a quantitative analysis. *Economic Geology*, 90(1): 88–104. DOI: [10.2113/gsecongeo.90.1.88](https://doi.org/10.2113/gsecongeo.90.1.88).

SOUZA GOMES, B.; MARCONDES DE SOUZA, J.; PINHEIRO MACHADO, R. A. 2008. Plataforma Continental Jurídica - proposta brasileira para a delimitação da sua última fronteira marítima. In: Proceedings of the 3 Simpósio Brasileiro de Geofísica. Belém, PA. Sociedade Brasileira de Geofísica, 2008. p. 1–6. DOI: [10.22564/3simbgf2008.019](https://doi.org/10.22564/3simbgf2008.019).

STEIN, C. A.; STEIN, S. 1994. Constraints on hydrothermal heat flux through the oceanic lithosphere from global heat flow. *Journal of Geophysical Research: Solid Earth*, 99(B2): 3081–3095. DOI: [10.1029/93JB02222](https://doi.org/10.1029/93JB02222).

TAVIANI, M. 2014. Marine Chemosynthesis in the Mediterranean Sea. *The Mediterranean Sea*. Dordrecht: Springer Netherlands, p. 69–83. DOI: [10.1007/978-94-007-6704-1_5](https://doi.org/10.1007/978-94-007-6704-1_5).

TIVEY, M. K. 2007. Generation of Seafloor Hydrothermal Vent Fluids and Associated Mineral Deposits. *Oceanography*, 20(1): 50–65. DOI: [10.5670/oceanog.2007.80](https://doi.org/10.5670/oceanog.2007.80).

UNITED NATIONS ENVIRONMENT PROGRAMME. 2013. Metal Recycling: Opportunities, Limits, Infrastructure. Report 2b of the Global Metal Flows Working Group of the International Resource Panel of UNEP. In: REUTER M.A.; HUDSON C.; VAN SCHAIK A.; HEISKANEN K.; MESKERS C.; HAGELÜKEN C. (Eds.).

- VAN DOVER, C. L. 2000. The ecology of deep-sea hydrothermal vents. Princeton: Princeton University Press, 448 p. DOI: [10.2307/j.ctv1zm2v35](https://doi.org/10.2307/j.ctv1zm2v35).
- VAN DOVER, C. L. 2011. Mining seafloor massive sulphides and biodiversity: What is at risk? ICES Journal of Marine Science, 68(2): 341–348. DOI: [10.1093/icesjms/fsq086](https://doi.org/10.1093/icesjms/fsq086).
- VAN DOVER, C. L. 2012. Ocean policy: Hydrothermal Vent Ecosystems and Conservation. Oceanography, 25(1): 313–316. DOI: [10.5670/oceanog.2012.36](https://doi.org/10.5670/oceanog.2012.36).
- VAN DOVER, C. L. 2014. Impacts of anthropogenic disturbances at deep-sea hydrothermal vent ecosystems: A review. Marine Environmental Research, 102: 59–72. DOI: [10.1016/j.marenvres.2014.03.008](https://doi.org/10.1016/j.marenvres.2014.03.008).
- WHITE, M.; MANOCCHIO, A.; LOWE, J.; JOHNSTON, M.; SANT, T. 2011. Resource Drilling of the Solwara 1 Seafloor Massive Sulfide (SMS) Deposit. May, p. 2–5. DOI: [10.4043/21645-ms](https://doi.org/10.4043/21645-ms).
- ZHU, Y.; AN, F.; TAN, J. 2011. Geochemistry of hydrothermal gold deposits: A review. Geoscience Frontiers, 2(3): 367–374. DOI: [10.1016/j.gsf.2011.05.006](https://doi.org/10.1016/j.gsf.2011.05.006).
- ZIERENBERG, R. A.; FOUQUET, Y.; MILLER, D. J.; BAHR, J. M.; BAKER, P. A.; BJERKGÅRD, T.; BRUNNER, C. A.; DUCKWORTH, R. C.; GABLE, R.; GIESKES, J.; GOODFELLOW, W. D.; GRÖSCHEL-BECKER, H. M.; GUÈRIN, G.; ISHIBASHI, J.; ITURRINO, G.; JAMES, R. H.; LACKSCHEWITZ, K. S.; MARQUEZ, L. L.; NEHLIG, P.;... ZUFFA, G. G. 1998. The deep structure of a sea-floor hydrothermal deposit. Nature, 392(6675): 485–488. DOI: [10.1038/33126](https://doi.org/10.1038/33126).

Sobre os Autores

Sidney L. M. Mello

Geólogo e MSc em geologia marinha pela Universidade Federal do Rio de Janeiro (UFRJ); pesquisador visitante no Lamont-Doherty Earth Observatory da Universidade de Columbia, NY, EUA; PhD em Ciências da Terra pela Escola de Ciências da Terra da Universidade de Leeds, Reino Unido e estágio de pós-doutorado na Universidade da Bretanha Ocidental, Brest, França. Representante do Brasil em Comissões Internacionais nas áreas de Geologia e Geofísica marinha, ex-membro do comitê executivo da Coordenação de Aperfeiçoamento de Pessoal de Nível Superior/CAPES/ Ministério da Educação no Programa Internacional de Perfuração dos Oceanos (IODP). Professor Titular na Universidade Federal Fluminense.

E-mail: smello@id.uff.br

ORCID: [0000-0003-4977-558X](https://orcid.org/0000-0003-4977-558X)

Thaise Machado Senez-Mello

Bióloga graduada pela Faculdade Maria Theresa (FAMATH), Mestre em Biologia Marinha pela Universidade Federal Fluminense (UFF), no Laboratório MICROMAR e Doutora em Biogeoquímica Marinha pelo programa de Dinâmica dos Oceanos e da Terra, no LAGEMAR, UFF. Pós doutoranda no Instituto de Estudos do Mar Almirante Paulo Moreira (IEAPM). Membro editorial do jornal *Frontiers in Marine Science*, Researcher Ambassador da plataforma Researcher (Translation & Innovation Hub, Imperial College, Londres). Atua também como tradutora, editora e agente de submissão de revistas científicas. Associada ao Council of Rosalind Members (London Journals Press, Reino Unido). Membro da Academia Brasileira de Ciências, Artes, História e Literatura (cadeira 81) ABRASCI.

DEPÓSITOS DE SULFETOS METÁLICOS NO FUNDO OCEÂNICO

E-mail: thaise_senez@id.uff.br

ORCID: [0000-0002-2246-7117](https://orcid.org/0000-0002-2246-7117)